Norman Lamps, Inc. • Product Data • Binder

LED BR Types - CCT Select and Single CCT

(CCT Color Selectable Switch)

USA Toll Free: 800-992-8020 | **Email:** sales@normanlamps.com | **Website:** normanlamps.com

630-377-3559

Norman Lamps, Inc. - Product Data

LED-BR20-DIM

LED Bulb, 120v

Specifications:

Model:	**LED-BR20-DIM**
Wattage:	**7.5 Watts**
Input Voltage:	**120VAC**
Color Temp:	**2,700k, 3,000k, 4,000k, 5,000k**
Lumens:	**550 Lumens**
Viewing Angle:	**110 Degree Flood**
Efficacy	**>70lm/W**
Life Hours:	**>15,000 Hours**
Dimensions:	**2.5" Diameter x 3.75" Length**
Replaces:	**50W~75W R20 Bulbs.**

Certifications:

ENERGY STAR

c UL us

CE

RoHS compliant

Damp Location Certified

Features:

- **Direct Replacement for R20 lamps**
- **Powerful Lumen Output**
- **Available in four color temperatures**
- **80% Energy Savings**
- **Dimmable**
- **Very Long Service Life**
- **E26 Medium Screw Base**
- **Diffused/Frosted Lens**
- **Suitable for damp locations**
- **1 Year Limited Warranty**

Ordering: 120VAC

LED-BR20DIM	–	Color Temp. XX

27K (2,700k)
3K (3,000k)
4K (4,000k)
5K (5,000k)

Norman Lamps, Inc.

Norman Lamps maintains one of the largest LED lamp inventories in the United States. This inventory, combined with state-of-the-art order processing, allows us to ship your orders accurately and without delay. Norman LED lamps combine the highest level of energy saving efficiency with the highest lumen output levels, longest lifespan, best color rendering, and effective beam spread to create the best in LED lamp products.

Toll Free: 800-992-8020 | **Local:** 630-377-3559 | **Fax:** 866-482-3916 | sales@normanlamps.com | normanlamps.com

Norman Lamps, Inc. • Product Data • BR20 • Flood 120°

LED-BR20-SEL90

CCTx5 Selectable LED Bulb

- **BR20**
- **120VAC**
- **5 Watts**
- **525 Lumens**
- **>90 CRI**
- **Fully Dimmable Function**
- **15,000 Hours**
- **E26 Base**
- **CCT Selectable Switch:**
  2,700k, 3,000k, 3,500k, 4,000k, 5,000k
- **Flood Degree 120°**

Specifications:

Model:	**LED-BR20-SEL90**	(CCT Selectable)
Wattage:	**5 Watts**	
Input Voltage:	**120VAC**	
Color Temp:	**2,700k, 3,000k, 3,500k, 4,000k, 5,000k**	
Lumens:	**525 Lumens**	
Viewing Angle:	**120° Medium Flood**	
Efficacy	**105lm/W** **>90 CRI**	**Pack: 60/Case**
Life Hours:	**15,000 Hours**	
Dimensions:	**2.5" Diameter x 3.75" Length**	
Replaces:	**45w & 50w BR20 Halogens Bulbs**	

Certifications:

G2-TP120V-5W-BR20-5CCT-DIM

Wet Location Certified

Features:

- **Direct Replacement for BR20 halogen lamps and CFL lamps**
- **CCT Selectable. 5 lamp varieties in 1 LED lamp**
- **Strong lumen output with field selectable CCT x 5**
- **90% Energy Savings vs Halogen lamps**
- **Fully Dimmable Operation**
- **High color rendering @ >90CRI rating**
- **E26 Medium Screw Base**
- **Field Selectable CCT Feature**
- **Suitable for Wet locations**
- **3 Year Limited Warranty**

Ordering:

120 Volt

Model

LED-BR20-SEL90

- **27K** (2,700k)
- **3K** (3,000k)
- **35K** (3,500k)
- **4K** (4,000k)
- **5K** (5,000k)

Norman Lamps, Inc.

Norman Lamps maintains one of the largest LED lamp and LED fixture inventories in the United States. This large inventory, combined fast and accurate order processing, enables us to ship quickly and error free. Norman LED products incorporate State-of-the-Art features such as field select CCT, Power, and Beam Spread. Combined with energy saving efficiency, high lumen output, long lifespans, high color rendering, and effective beam spread creates the best in LED lighting products.

Norman Lamps, Inc. - Product Data

LED-BR30-DIM
8 Watt 650 Lumens

LED Bulb, 120v

Specifications:

Model:	**LED-BR30-DIM**
Wattage:	**8 Watts**
Input Voltage:	**120VAC**
Color Temp:	**2,700k, 3,000k, 3,500k, 4,000k, 5,000k**
Lumens:	**650lm,**
Viewing Angle:	**120 degree**
Efficacy	**>75lm/W**
Life Hours:	**>15,000 Hours**
Dimensions:	**3.75" Diameter x 5.3" Length**
Replaces:	**65W~100W BR30 Bulbs.**

Certifications:

ENERGY STAR

c UL us

CE

RoHS compliant

Damp Location Certified

Features:

- **Direct Replacement for BR30 lamps**
- **Powerful Lumen Output**
- **Available in five color temperatures**
- **80% Energy Savings**
- **Dimmable**
- **Very Long Service Life**
- **E26 Medium Screw Base**
- **Diffused/Frosted Lens**
- **Suitable for damp locations**
- **1 Year Limited Warranty**

Ordering: 120VAC

LED-BR30DIM	–	XX

Color Temp.

27K (2,700k)
35K (3,500k)
3K (3,000k)
4K (4,000k)
5K (5,000k)

Norman Lamps, Inc.

Norman Lamps maintains one of the largest LED lamp inventories in the United States. This inventory, combined with state-of-the-art order processing, allows us to ship your orders accurately and without delay. Norman LED lamps combine the highest level of energy saving efficiency with the highest lumen output levels, longest lifespan, best color rendering, and effective beam spread to create the best in LED lamp products.

Toll Free: 800-992-8020 | **Local:** 630-377-3559 | **Fax:** 866-482-3916 | sales@normanlamps.com | normanlamps.com

Norman Lamps, Inc. • Product Data • BR30 • Bright Colors

LED-BR30-COLOR

LED Decor Bulb, 120v

Red Green Blue Yellow Pink

DIMMABLE

- 120 Volts
- 9 Watts
- 880 Lumens
- Dimmable

Specifications:

Model:	**LED-BR30-9W-COLORS**
Wattage:	**9 Watts**
Input Voltage:	**120VAC**
Colors:	**Red, Green, Blue, Yellow, Pink**
Lumens:	**>880lm**
Viewing Angle:	**120 Degree Flood**
Efficacy	**100lm/W** **24/Case**
Life Hours:	**25,000 Hours**
Dimensions:	**3.75" Diameter x 5.25" Length**
Replaces:	**65W~75W BR30 Incandescent Bulbs in Colors**

Certifications:

CE RoHS compliant

Wet Location Certified

Features:

- Direct Replacement for Incandescent BR30 lamps in Colors (65w~75w)
- Perfect for Decorative and Color Accent Applications
- Available in five bold & Bright colors
- 80% Energy Savings
- Fully Dimmable Operation
- Very Long Service Life
- E26 Medium Screw Base
- Ceramic Solid Colors
- Suitable for Damp & Wet locations
- 1 Year Limited Warranty

DIMMABLE

Ordering: 120v

Model		Color
LED-BR30-9W	–	RED

GREEN
BLUE
YELLOW
PINK

Norman Lamps, Inc.

Norman Lamps maintains one of the largest LED lamp and LED fixture inventories in the United States. This large inventory, combined fast and accurate order processing, enables us to ship quickly and error free. Norman LED products incorporate State-of-the-Art features such as field select CCT, Power, and Beam Spread. Combined with energy saving efficiency, high lumen output, long lifespans, high color rendering, and effective beam spread creates the best in LED lighting products.

USA Toll Free: 800-992-8020 | **Email:** sales@normanlamps.com | **Website:** normanlamps.com

Norman Lamps, Inc. • Product Data • BR30 • Flood

LED-BR30-SEL

CCTx5 Selectable LED Bulb

- BR30
- 120VAC
- 9 Watts
- 75-Watt Equivalent
- 800 Lumens
- Fully Dimmable Function
- 15,000 Hours
- E26 Base
- CCT Selectable Switch
- 2,700k, 3,000k, 3,500k, 4,000k, 5,000k

Specifications:

Model:	**LED-BR30-SEL** (CCT Selectable)
Wattage:	**9 Watts**
Input Voltage:	**120VAC**
Color Temp:	**2,700k, 3,000k, 3,500k, 4,000k, 5,000k**
Lumens:	**800 Lumens**
Viewing Angle:	**Flood**
Efficacy	**90lm/W >80 CRI Pack: 24/Case**
Life Hours:	**15,000 Hours**
Dimensions:	**3.75" Diameter x 5.3 " Length**
Replaces:	**65W & 75W BR30 Incandescent & CFL Bulbs.**

Certifications:

ENERGY STAR

c UL us

CE

G1 TP120-9/BR30 5CCT DIM E26

Damp Location Certified

RoHS compliant

Features:

- **Direct Replacement for BR30 incandescent lamps**
- **Powerful Lumen Output**
- **Available in ALL standard color temperatures**
- **90% Energy Savings vs 75-Watt Incandescent Bulbs**
- **Fully Dimmable Operation**
- **Long Service Life and Rough Service Rated**
- **E26 Medium Screw Base**
- **Flood Beam**
- **Suitable for damp locations**
- **3 Year Limited Warranty**

Ordering: 120 Volt

Model	
LED-BR30DIM-SEL	27K (2,700k)
	3K (3,000k)
	35K (3,500k)
	4K (4,000k)
	5K (5,000k)

Norman Lamps, Inc.

Norman Lamps maintains one of the largest LED lamp and LED fixture inventories in the United States. This large inventory, combined fast and accurate order processing, enables us to ship quickly and error free. Norman LED products incorporate State-of-the-Art features such as field select CCT, Power, and Beam Spread. Combined with energy saving efficiency, high lumen output, long lifespans, high color rendering, and effective beam spread to create the best in LED lighting products.

Norman Lamps, Inc. - Product Data

LED-BR30HO

14w, 1,400lm

- **BR-30**
- **120VAC**
- **14 Watts**
- **100 Watt~120 Watt**
- **Replacement**
- **1,400 Lumens**
- **Dimmable**
- **3,000k, 4,000k, 5,000k**

Specifications:

Model:	**LED-BR30HO**	**(120VAC)**
Wattage:	**14 Watts**	
Input Voltage:	**120VAC**	
Color Temp:	**3,000k, 4,000k, 5,000k**	
Lumens:	**1,400 Lumens**	
Viewing Angle:	**360 Degree (Omni-directional)**	
Efficacy	**100lm/W**	
Life Hours:	**25,000 Hours**	
Dimensions:	**3.75" Diameter x 5.25" Length**	
Replaces:	**100W up to 120W Incandescent Bulbs**	

Certifications:

CE c UL us ENERGY STAR

Damp Location Certified RoHS compliant

Features:

- **Direct Replacement for BR30 Incandescent Bulbs**
- **Powerful Lumen Output**
- **Available in 3,000k, 4,000k, 5,000k**
- **>80% Energy Savings**
- **Fully Dimmable Function**
- **Long Service Life**
- **E26 Medium Screw Base**
- **Directional light output; 110° Flood**
- **Suitable for damp locations**
- **Warranted to be free from defects in workmanship and material for 3 years.** (Based on normal usage of 3 hours per day)

Ordering: 120v

Part Number		Input Voltage		Color Temp.
LED-BR30HO	–	120V	–	3K

Directional 110° Flood 14W

3K (3,000k)
4K (4,000k)
5K (5,000k)

Norman Lamps, Inc.

Norman Lamps maintains one of the largest LED lamp inventories in the United States. This inventory, combined with state-of-the-art order processing, allows us to ship your orders accurately and without delay. Norman LED lamps combine the highest level of energy saving efficiency with the highest lumen output levels, longest lifespan, best color rendering, and effective beam spread to create the best in LED lamp products.

Norman Lamps, Inc. • Product Data • BR40 • 1,100 Lumens

LED-BR40DIM

LED Bulb • 120v • 12w

- **BR40**
- **120VAC**
- **12 Watts**
- **75-Watt Equivalent**
- **1,100 Lumens**
- **Fully Dimmable Function**
- **25,000 Hours**
- **E26 Base**
- **2,700k, 3,000k, 4,000k, 5,000k**

Specifications:

Model:	**LED-BR40DIM**
Wattage:	**12 Watts**
Input Voltage:	**120VAC**
Color Temp:	**2,700k, 3,000k, 4,000k, 5,000k**
Lumens:	**1,100 Lumens**
Viewing Angle:	**120 Degree Flood**
Efficacy	**100lm/W**
Life Hours:	**25,000 Hours**
Dimensions:	**4.95" Diameter x 6.2" Length**
Replaces:	**75W ~ 100W BR40 Incandescent Bulbs.**

Certifications:

ENERGY STAR

c UL us

CE

G9 TP120-12/BR40 DIM E26

Damp Location Certified

RoHS compliant

Features:

- **Direct Replacement for BR40 lamps**
- **Strong Lumen Output**
- **Available in 4 color temperatures (CCT's)**
- **80% Energy Savings**
- **Dimmable Operation**
- **Very Long Service Life**
- **E26 Medium Screw Base**
- **Diffused/Frosted Lens**
- **Suitable for damp locations**
- **Warranted to be free from defects in workmanship and material for 3 years.** (Based on normal usage of 3 hours per day)

Ordering: 120VAC

Model		Color CCT
LED-BR40DIM	–	xxK

27K (2,700k)
3K (3,000k)
4K (4,000k)
5K (5,000k)

Norman Lamps, Inc.

Norman Lamps maintains one of the largest LED lamp and LED fixture inventories in the United States. This large inventory, combined fast and accurate order processing, enables us to ship quickly and error free. Norman LED products incorporate State-of-the-Art features such as field select CCT, Power, and Beam Spread. Combined with energy saving efficiency, high lumen output, long lifespans, high color rendering, and effective beam spread to create the best in LED lighting products.

Norman Lamps, Inc. - Product Data

LED-BR40HO

19.5w, 2,175lm

- **BR-40**
- **120VAC**
- **19.5 Watts**
- **150 Watt~200 Watt**
- **Replacement**
- **2,175 Lumens**
- **Dimmable**
- **3,000k, 4,000k, 5,000k**

Specifications:

Model:	**LED-BR40HO (120VAC)**
Wattage:	**19.5 Watts**
Input Voltage:	**120VAC**
Color Temp:	**3,000k, 4,000k, 5,000k**
Lumens:	**2,175 Lumens**
Viewing Angle:	**360 Degree (Omni-directional)**
Efficacy	**110lm/W**
Life Hours:	**25,000 Hours**
Dimensions:	**5.0" Diameter x 6.0" Length**
Replaces:	**150W up to 200W Incandescent Bulbs**

Certifications:

CE c UL us ENERGY STAR

Damp Location Certified RoHS compliant

Features:

- **Direct Replacement for BR40 Incandescent Bulbs**
- **Powerful Lumen Output**
- **Available in 3,000k, 4,000k, 5,000k**
- **>80% Energy Savings**
- **Fully Dimmable Function**
- **Long Service Life**
- **E26 Medium Screw Base**
- **Directional light output; 110° Flood**
- **Suitable for damp locations**
- **Warranted to be free from defects in workmanship and materials for 3 years.** (Based on normal usage of 3 hours per day)

Ordering: 120v

Part Number		Input Voltage		Color Temp.
LED-BR40HO	–	120V	–	3K

Directional 110° Flood
19.5W

3K (3,000k)
4K (4,000k)
5K (5,000k)

Norman Lamps, Inc.

Norman Lamps maintains one of the largest LED lamp inventories in the United States. This inventory, combined with state-of-the-art order processing, allows us to ship your orders accurately and without delay. Norman LED lamps combine the highest level of energy saving efficiency with the highest lumen output levels, longest lifespan, best color rendering, and effective beam spread to create the best in LED lamp products.

Norman Lamps, Inc. • Product Data • BR40 • Flood 120°

LED-BR40-SEL90

CCTx5 Selectable LED Bulb

- **BR40**
- **120VAC**
- **11 Watts**
- **1,100 Lumens**
- **>90 CRI**
- **Fully Dimmable Function**
- **15,000 Hours**
- **E26 Base**
- **CCT Selectable Switch:**
  2,700k, 3,000k, 3,500k, 4,000k, 5,000k
- **Flood Degree 120°**

Specifications:

Model:	**LED-BR40-SEL90**	(CCT Selectable)
Wattage:	**11 Watts**	
Input Voltage:	**120VAC**	
Color Temp:	**2,700k, 3,000k, 3,500k, 4,000k, 5,000k**	
Lumens:	**1,100 Lumens**	
Viewing Angle:	**120° Medium Flood**	
Efficacy	**100lm/W** **>90 CRI**	**Pack: 24/Case**
Life Hours:	**15,000 Hours**	
Dimensions:	**4.75" Diameter x 6.5" Length**	
Replaces:	**85w & 100w BR40 Incandescent Bulbs**	

Certifications:

ENERGY STAR · cULus · CE

G2-TP120V-11W-BR40-5CCT-DIM

Wet Location Certified · RoHS compliant

Features:

- **Direct Replacement for BR40 Incandescent lamps and CFL lamps**
- **CCT Selectable. 5 lamp varieties in 1 LED lamp**
- **Strong lumen output with field selectable CCT x 5**
- **90% Energy Savings vs Halogen lamps**
- **Fully Dimmable Operation**
- **High color rendering @ >90CRI rating**
- **E26 Medium Screw Base**
- **Field Selectable CCT Feature**
- **Suitable for Wet locations**
- **3 Year Limited Warranty**

DIMMABLE

Ordering: 120 Volt

Model

LED-BR40-SEL90

- **27K** (2,700k)
- **3K** (3,000k)
- **35K** (3,500k)
- **4K** (4,000k)
- **5K** (5,000k)

Norman Lamps, Inc.

Norman Lamps maintains one of the largest LED lamp and LED fixture inventories in the United States. This large inventory, combined fast and accurate order processing, enables us to ship quickly and error free. Norman LED products incorporate State-of-the-Art features such as field select CCT, Power, and Beam Spread. Combined with energy saving efficiency, high lumen output, long lifespans, high color rendering, and effective beam spread creates the best in LED lighting products.

USA Toll Free: 800-992-8020 | **Email:** sales@normanlamps.com | **Website:** normanlamps.com